



LAUNDRY



PRICELIST
2016

POWERLINE LAUNDRY



HE-40

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
Hardmount Economy Washer Extractors				
HE-20	Washer Extractor, 20 lb, Rigid Mount Economy, Microprocessor Control, 484RPM/80G, Cylinder Volume 3.19 cf (90 liters), 380-415/50/3 Hot Water	0.69	286	5,343.00
HE-20	Washer Extractor, 20 lb, Rigid Mount Economy, Microprocessor Control, 484RPM/80G, Cylinder Volume 3.19 cf (90 liters), 380-415/50/3 Electrical Heating	0.69	286	5,929.00
HE-20	Washer Extractor, 20 lb, Rigid Mount Economy, Microprocessor Control, 484RPM/80G, Cylinder Volume 3.19 cf (90 liters), 380-415/50/3 Steam Heating	0.69	286	5,807.00
HE-30	Washer Extractor, 30 lb, Rigid Mount Economy, Microprocessor Control, 664RPM/150G, Cylinder Volume 5 cf (140 liters), 380-415/50/3 Hot Water	0.89	302	6,245.00
HE-30	Washer Extractor, 30 lb, Rigid Mount Economy, Microprocessor Control, 664RPM/150G, Cylinder Volume 5 cf (140 liters), 380-415/50/3 Electrical Heating	0.89	302	6,869.00
HE-30	Washer Extractor, 30 lb, Rigid Mount Economy, Microprocessor Control, 664RPM/150G, Cylinder Volume 5 cf (140 liters), 380-415/50/3 Steam Heating	0.89	302	6,754.00
HE-40	Washer Extractor, 40 lb, Rigid Mount Economy, Microprocessor Control, 608RPM/150G, Cylinder Volume 6.47 cf (180 liters), 380-415/50/3 Hot Water	1.23	455	7,910.00
HE-40	Washer Extractor, 40 lb, Rigid Mount Economy, Microprocessor Control, 608RPM/150G, Cylinder Volume 6.47 cf (180 liters), 380-415/50/3 Electrical Heating	1.23	455	8,534.00
HE-40	Washer Extractor, 40 lb, Rigid Mount Economy, Microprocessor Control, 608RPM/150G, Cylinder Volume 6.47 cf (180 liters), 380-415/50/3 Steam Heating	1.23	455	8,419.00
HE-60	Washer Extractor, 60 lb, Rigid Mount Economy, Microprocessor Control, 583 RPM/150G, Cylinder Volume 9.7 cf (274 liters), 380-415/50/3 Hot Water	1.66	519	9,640.00
HE-60	Washer Extractor, 60 lb, Rigid Mount Economy, Microprocessor Control, 583 RPM/150G, Cylinder Volume 9.7 cf (274 liters), 380-415/50/3 Electrical Heating	1.66	519	10,398.00
HE-60	Washer Extractor, 60 lb, Rigid Mount Economy, Microprocessor Control, 583 RPM/150G, Cylinder Volume 9.7 cf (274 liters), 380-415/50/3 Steam Heating	1.66	519	10,149.00
HE-80	Washer Extractor, 80 lb, Rigid Mount Economy, Microprocessor Control, 542RPM/150G, Cylinder Volume 13.6 cf (385 liters), 380-415/50/3 Hot Water	2.34	767	14,569.00
HE-80	Washer Extractor, 80 lb, Rigid Mount Economy, Microprocessor Control, 542RPM/150G, Cylinder Volume 13.6 cf (385 liters), 380-415/50/3 Electrical Heating	2.34	767	15,559.00
HE-80	Washer Extractor, 80 lb, Rigid Mount Economy, Microprocessor Control, 542RPM/150G, Cylinder Volume 13.6 cf (385 liters), 380-415/50/3 Steam Heating	2.34	767	15,165.00
HE-100	Washer Extractor, 100 lb, Rigid Mount Economy, Microprocessor Control, 542RPM/150G, Cylinder Volume 17 cf (500 liters), 380-415/50/3 Hot Water	2.48	895	19,824.00
HE-100	Washer Extractor, 100 lb, Rigid Mount Economy, Microprocessor Control, 542RPM/150G, Cylinder Volume 17 cf (500 liters), 380-415/50/3 Electrical Heating	2.48	895	20,962.00
HE-100	Washer Extractor, 100 lb, Rigid Mount Economy, Microprocessor Control, 542RPM/150G, Cylinder Volume 17 cf (500 liters), 380-415/50/3 Steam Heating	2.48	895	20,509.00
Hardmount Industrial Washer Extractors				
HI-85	Washer Extractor, 85 lb, Rigid Mount Industrial, Three Compartments For Detergent Dispensing, Microprocessor Control, 630 RPM/203G, Cylinder Volume 13.12 cf (370 liters), 380-415/50/3 Hot Water	2.44	554	17,198.00
HI-85	Washer Extractor, 85 lb, Rigid Mount Industrial, Three Compartments For Detergent Dispensing, Microprocessor Control, 630 RPM/203G, Cylinder Volume 13.12 cf (370 liters), 380-415/50/3 Electrical Heating	2.44	554	18,244.00
HI-85	Washer Extractor, 85 lb, Rigid Mount Industrial, Three Compartments For Detergent Dispensing, Microprocessor Control, 630 RPM/203G, Cylinder Volume 13.12 cf (370 liters), 380-415/50/3 Steam Heating	2.44	554	17,923.00
HI-125	Washer Extractor, 125 lb, Rigid Mount Industrial, Five Compartments For Detergent Dispensing, Microprocessor Control, 580 RPM/200G, Cylinder Volume 19.29 cf (544 liters), 380-415/50/3 Hot Water	3.69	654	27,223.00
HI-125	Washer Extractor, 125 lb, Rigid Mount Industrial, Five Compartments For Detergent Dispensing, Microprocessor Control, 580 RPM/200G, Cylinder Volume 19.29 cf (544 liters), 380-415/50/3 Electrical Heating	3.69	654	28,415.00
HI-125	Washer Extractor, 125 lb, Rigid Mount Industrial, Five Compartments For Detergent Dispensing, Microprocessor Control, 580 RPM/200G, Cylinder Volume 19.29 cf (544 liters), 380-415/50/3 Steam Heating	3.69	654	28,125.00



HI-85



HI-125

Other Voltages Available By Request. Please Contact Powerline For Pricing.

POWERLINE LAUNDRY



SP-60

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
Softmount Professional Washer Extractors				
SP-40	Washer Extractor, 40 lb, Softmount Professional, One Compartment Supply Dispenser, 890RPM/300G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 6.6 cf (187 liters), 380-415/50/3 Hot Water	1.58	564	11,704.00
SP-40	Washer Extractor, 40 lb, Softmount Professional, One Compartment Supply Dispenser, 890RPM/300G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 6.6 cf (187 liters), 380-415/50/3 Electrical Heating	1.58	564	12,470.00
SP-40	Washer Extractor, 40 lb, Softmount Professional, One Compartment Supply Dispenser, 890RPM/300G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 6.6 cf (187 liters), 380-415/50/3 Steam Heating	1.58	564	12,444.00
SP-60	Washer Extractor, 60 lb, Softmount Professional, One Compartment Supply Dispenser, 890 RPM/350G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 9.7 cf (274 liters), 380-415/50/3 Hot Water	1.99	654	13,897.00
SP-60	Washer Extractor, 60 lb, Softmount Professional, One Compartment Supply Dispenser, 890RPM/350G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 9.7 cf (274 liters), 380-415/50/3 Electrical Heating	1.99	654	14,688.00
SP-60	Washer Extractor, 60 lb, Softmount Professional, One Compartment Supply Dispenser, 890RPM/350G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 9.7 cf (274 liters), 380-415/50/3 Steam Heating	1.99	654	14,637.00
SP-100	Washer Extractor, 100 lb, Softmount Professional, One Compartment Supply Dispenser, 817RPM/340G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 16.9 cf (478 liters), 380-415/50/3 Hot Water	3.05	1037	20,188.00
SP-100	Washer Extractor, 100 lb, Softmount Professional, One Compartment Supply Dispenser, 817RPM/340G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 16.9 cf (478 liters), 380-415/50/3 Electrical Heating	3.05	1037	21,255.00
SP-100	Washer Extractor, 100 lb, Softmount Professional, One Compartment Supply Dispenser, 817RPM/340G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 16.9 cf (478 liters), 380-415/50/3 Steam Heating	3.05	1037	21,120.00
Option	5 Compartments Supply Dispenser for Above Models (Add to Above List Pricing)			470.00
SP-130	Washer Extractor, 130 lb, Softmount Professional, Five Compartment Supply Dispenser, 767RPM/350.6G, S/S Cabinet, Advanced Microcomputer, Rear Pneumatic Drain Connection, Cylinder Volume 20.86 cf (590 liters), 380-415/50/3 Hot Water	3.72	1233	28,429.00
SP-130	Washer Extractor, 130 lb, Softmount Professional, Five Compartment Supply Dispenser, 767RPM/350.6G, S/S Cabinet, Advanced Microcomputer, Rear Pneumatic Drain Connection, Cylinder Volume 20.86 cf (590 liters), 380-415/50/3 Electrical Heating	3.72	1233	29,654.00
SP-130	Washer Extractor, 130 lb, Softmount Professional, Five Compartment Supply Dispenser, 767RPM/350.6G, S/S Cabinet, Advanced Microcomputer, Rear Pneumatic Drain Connection, Cylinder Volume 20.86 cf (590 liters), 380-415/50/3 Steam Heating	3.72	1233	29,361.00
SP-155	Washer Extractor, 155 lb, Softmount Professional, Five Compartment Supply Dispenser, 750RPM/343G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 24.46 cf (692 liters), 380-415/50/3 Hot Water	4.49	1996	34,481.00
SP-155	Washer Extractor, 155 lb, Softmount Professional, Five Compartment Supply Dispenser, 750RPM/343G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 24.46 cf (692 liters), 380-415/50/3 Electrical Heating	4.49	1996	36,178.00
SP-155	Washer Extractor, 155 lb, Softmount Professional, Five Compartment Supply Dispenser, 750RPM/343G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 24.46 cf (692 liters), 380-415/50/3 Steam Heating	4.49	1996	35,707.00
SP-185	Washer Extractor, 185 lb, Softmount Professional, Five Compartment Supply Dispenser, 725RPM/345G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 28.7 cf (812 liters), 380-415/50/3 Hot Water	5.41	2186	43,598.00
SP-185	Washer Extractor, 185 lb, Softmount Professional, Five Compartment Supply Dispenser, 725RPM/345G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 28.7 cf (812 liters), 380-415/50/3 Electrical Heating	5.41	2186	45,621.00
SP-185	Washer Extractor, 185 lb, Softmount Professional, Five Compartment Supply Dispenser, 725RPM/345G, S/S Cabinet, Advanced Microcomputer, Rear Drain Connection, Cylinder Volume 28.7 cf (812 liters), 380-415/50/3 Steam Heating	5.41	2186	44,824.00

Other Voltages Available By Request. Please Contact Powerline For Pricing.

POWERLINE LAUNDRY



SA-300



SB-60

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
Softmount Automated Industrial Washer Extractors				
SA-275	Washer Extractor, 275 lb, Advanced Microcomputer, PC Programmable, Extract Force 250G, 10 Connections For Central Liquid Chemical Supply, S/S Front Cabinet Panel, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Single Motor Inverter Driven, Air Cushion Suspension System, Dry Zone Bearing Design, Five Compartment Supply Dispensers, Cylinder Volume 41.8 cf (1185 liters), 380-415/50/3 Hot Water	9.21	3950	73,801.00
SA-275	Washer Extractor, 275 lb, Advanced Microcomputer, PC Programmable, Extract Force 250G, 10 Connections For Central Liquid Chemical Supply, S/S Front Cabinet Panel, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Single Motor Inverter Driven, Air Cushion Suspension System, Dry Zone Bearing Design, Five Compartment Supply Dispensers, Cylinder Volume 41.8 cf (1185 liters), 380-415/50/3 Steam Heating	9.21	3950	75,040.00
SA-300	Washer Extractor, 300 lb, Advanced Microcomputer, PC Programmable, Extract Force 250G, 10 Connections For Central Liquid Chemical Supply, S/S Front Cabinet Panel, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Single Motor Inverter Driven, Air Cushion Suspension System, Dry Zone Bearing Design, Five Compartment Supply Dispensers, Cylinder Volume 46.8 cf (1325 liters), 380-415/50/3 Hot Water	9.62	4090	84,008.00
SA-300	Washer Extractor, 300 lb, Advanced Microcomputer, PC Programmable, Extract Force 250G, 10 Connections For Central Liquid Chemical Supply, S/S Front Cabinet Panel, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Single Motor Inverter Driven, Air Cushion Suspension System, Dry Zone Bearing Design, Five Compartment Supply Dispensers, Cylinder Volume 46.8 cf (1325 liters), 380-415/50/3 Steam Heating	9.62	4090	85,247.00
SA-475	Washer Extractor, 475 lb, Advanced Microcomputer, PC Programmable, Extract Force 250G, 10 Connections For Central Liquid Chemical Supply, S/S Front Cabinet Panel, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Single Motor Inverter Driven, Air Cushion Suspension System, Dry Zone Bearing Design, Cylinder Volume 72 cf (2040 liters), 380-415/50/3 Hot Water	16.44	8806	161,915.00
SA-475	Washer Extractor, 475 lb, Advanced Microcomputer, PC Programmable, Extract Force 250G, 10 Connections For Central Liquid Chemical Supply, S/S Front Cabinet Panel, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Single Motor Inverter Driven, Air Cushion Suspension System, Dry Zone Bearing Design, Cylinder Volume 72 cf (2040 liters), 380-415/50/3 Steam Heating	16.44	8806	163,530.00
Softmount Barrier Washer Extractors				
SB-60	Softmount Barrier Washer Extractor, 60 lb, Advanced Microcomputer, PC Programmable. 957RPM/335G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3 Hot Water	2.43	2458	35,516.00
SB-60	Softmount Barrier Washer Extractor, 60 lb, Advanced Microcomputer, PC Programmable. 957RPM/335G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3 Electrical Heating	2.43	2458	36,552.00
SB-60	Softmount Barrier Washer Extractor, 60 lb, Advanced Microcomputer, PC Programmable. 957RPM/335G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3 Steam Heating	2.43	2458	36,218.00

Other Voltages Available By Request. Please Contact Powerline For Pricing.

POWERLINE LAUNDRY



SB-80



SB-155

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
Softmount Barrier Washer Extractors				
SB-80	Softmount Barrier Washer Extractor, 80 lb, Advanced Microcomputer, PC Programmable. 890RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, Cylinder Volume 13 cf (366 liters), 380-415/50/3, Hot Water	3.21	3457	43,297.00
SB-80	Softmount Barrier Washer Extractor, 80 lb, Advanced Microcomputer, PC Programmable. 890RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, Cylinder Volume 13 cf (366 liters), 380-415/50/3, Electrical Heating	3.21	3457	44,557.00
SB-80	Softmount Barrier Washer Extractor, 80 lb, Advanced Microcomputer, PC Programmable. 890RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, Cylinder Volume 13 cf (366 liters), 380-415/50/3, Steam Heating	3.21	3457	43,999.00
SB-100	Softmount Barrier Washer Extractor, 100 lb, Advanced Microcomputer, PC Programmable. 890RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3, Hot Water	3.59	3781	49,972.00
SB-100	Softmount Barrier Washer Extractor, 100 lb, Advanced Microcomputer, PC Programmable. 890RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3, Electrical Heating	3.59	3781	51,240.00
SB-100	Softmount Barrier Washer Extractor, 100 lb, Advanced Microcomputer, PC Programmable. 890RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3, Steam Heating	3.59	3781	50,600.00
SB-155	Softmount Barrier Washer Extractor, 155 lb, Advanced Microcomputer, PC Programmable. 765RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, Cylinder Volume 25 cf (708 liters), 380-415/50/3, Hot Water	5.47	5602	57,392.00
SB-155	Softmount Barrier Washer Extractor, 155 lb, Advanced Microcomputer, PC Programmable. 765RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, Cylinder Volume 25 cf (708 liters), 380-415/50/3, Electrical Heating	5.47	5602	59,109.00
SB-155	Softmount Barrier Washer Extractor, 155 lb, Advanced Microcomputer, PC Programmable. 765RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, Cylinder Volume 25 cf (708 liters), 380-415/50/3, Steam Heating	5.47	5602	58,241.00

Other Voltages Available By Request. Please Contact Powerline For Pricing.

POWERLINE LAUNDRY



SB-225

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
Softmount Barrier Washer Extractors				
SB-225	Softmount Barrier Washer Extractor, 225 lb, Advanced Microcomputer, PC Programmable. 765RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, Cylinder Volume 36.5 cf (1032 liters), 380-415/50/3 Hot Water	6.69	6343	87,678.00
SB-225	Softmount Barrier Washer Extractor, 225 lb, Advanced Microcomputer, PC Programmable. 765RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, Cylinder Volume 36.5 cf (1032 liters), 380-415/50/3 Steam Heating	6.69	6343	88,801.00
SB-300	Softmount Barrier Washer Extractor, 300 lb, Advanced Microcomputer, PC Programmable. 720RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3 Hot Water	8.70	4605	108,398.00
SB-300	Softmount Barrier Washer Extractor, 300 lb, Advanced Microcomputer, PC Programmable. 720RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3 Steam Heating	8.70	4605	109,744.00
SB-485	Softmount Barrier Washer Extractor, 485 lb, Advanced Microcomputer, PC Programmable. 650RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3 Hot Water	14.62	5193	156,223.00
SB-485	Softmount Barrier Washer Extractor, 485 lb, Advanced Microcomputer, PC Programmable. 650RPM/350G, 5 Compartment Supply Dispenser For Dry & Liquid Chemicals, 5 Connections For Central Liquid Chemical Supply, Expandable To 10 Or More, S/S Cabinet, All Parts In Contact With Wash Solution Made Of 304 (18/8) Stainless Steel, Prepared For Direct Steam Injection, Inverter Drive - Programmable Variable Speed, 380-415/50/3 Steam Heating	14.62	5193	157,907.00
Softmount Industrial Washer Extractors				
SI-110	Washer Extractor, 110 lb, High Speed Softmount, Dry Zone Bearing Design, 780RPM/320G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 15.6 cf (440 liters), 380-415/50/3 Hot Water	4.86	2008	29,862.00
SI-110	Washer Extractor, 110 lb, High Speed Softmount, Dry Zone Bearing Design, 780RPM/320G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 15.6 cf (440 liters), 380-415/50/3 Electrical Heating	4.86	2008	31,238.00
SI-110	Washer Extractor, 110 lb, High Speed Softmount, Dry Zone Bearing Design, 780RPM/320G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 15.6 cf (440 liters), 380-415/50/3 Steam Heating	4.86	2008	30,797.00
SI-135	Washer Extractor, 135 lb, High Speed Softmount, Dry Zone Bearing Design, 725RPM/320G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 21.0 cf (595 liters), 380-415/50/3 Hot Water	6.26	2390	38,555.00
SI-135	Washer Extractor, 135 lb, High Speed Softmount, Dry Zone Bearing Design, 725RPM/320G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 21.0 cf (595 liters), 380-415/50/3 Electrical Heating	6.26	2390	40,437.00
SI-135	Washer Extractor, 135 lb, High Speed Softmount, Dry Zone Bearing Design, 725RPM/320G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 21.0 cf (595 liters), 380-415/50/3 Steam Heating	6.26	2390	39,490.00



SI-110

POWERLINE LAUNDRY



SI-200



SL-350-3

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
Softmount Industrial Washer Extractors				
SI-200	Washer Extractor, 200 lb, High Speed Softmount, Dry Zone Bearing Design, 700RPM/320G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 30.8 cf (871 liters), 380-415/50/3 Hot Water	7.28	3163	52,997.00
SI-200	Washer Extractor, 200 lb, High Speed Softmount, Dry Zone Bearing Design, 700RPM/320G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 30.8 cf (871 liters), 380-415/50/3 Electrical Heating	7.28	3163	55,453.00
SI-200	Washer Extractor, 200 lb, High Speed Softmount, Dry Zone Bearing Design, 700RPM/320G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 30.8 cf (871 liters), 380-415/50/3 Steam Heating	7.28	3163	54,224.00
SI-275	Washer Extractor, 275 lb, High Speed Softmount, Dry Zone Bearing Design, 660RPM/321G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 41.8 cf (1185 liters), 380-415/50/3 Hot Water	9.21	4170	63,091.00
SI-275	Washer Extractor, 275 lb, High Speed Softmount, Dry Zone Bearing Design, 660RPM/321G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 41.8 cf (1185 liters), 380-415/50/3 Electrical Heating	9.21	4170	66,062.00
SI-275	Washer Extractor, 275 lb, High Speed Softmount, Dry Zone Bearing Design, 660RPM/321G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 41.8 cf (1185 liters), 380-415/50/3 Steam Heating	9.21	4170	64,318.00
SI-300	Washer Extractor, 300 lb, High Speed Softmount, Dry Zone Bearing Design, 660RPM/321G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 46.8 cf (1325 liters), 380-415/50/3 Hot Water	9.62	4351	72,905.00
SI-300	Washer Extractor, 300 lb, High Speed Softmount, Dry Zone Bearing Design, 660RPM/321G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 46.8 cf (1325 liters), 380-415/50/3 Electrical Heating	9.62	4351	76,172.00
SI-300	Washer Extractor, 300 lb, High Speed Softmount, Dry Zone Bearing Design, 660RPM/321G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, Cylinder Volume 46.8 cf (1325 liters), 380-415/50/3 Steam Heating	9.62	4351	74,132.00
SI-450	Washer Extractor, 450 lb, High Speed Softmount, Dry Zone Bearing Design, 584RPM/310G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, 380-415/50/3 Hot Water	23	7490	104,309.00
SI-450	Washer Extractor, 450 lb, High Speed Softmount, Dry Zone Bearing Design, 584RPM/310G, S/S Cabinet, Single Motor Drive, Robust Spring Suspension, 380-415/50/3 Steam Heating	23	7490	105,973.00
Industrial Split Pocket Washer Extractors				
SL-230-2	Washer Extractor, Industrial Split Pocket 230 lb, High Speed Softmount, 693RPM/300G, Spring Suspension System, Includes 5 Compartment Supply Dispenser, Cylinder Volume 36.8 cf (1045 liters), 380-415/50/3 Hot Water	6.82	2976	61,073.00
SL-230-2	Washer Extractor, Industrial Split Pocket 230 lb, High Speed Softmount, 693RPM/300G, Spring Suspension System, Includes 5 Compartment Supply Dispenser, Cylinder Volume 36.8 cf (1045 liters), 380-415/50/3 Steam Heating	6.82	2976	62,252.00
SL-350-3	Washer Extractor, Industrial Split Pocket 350 lb, High Speed Softmount, 626RPM/300G, Spring Suspension System, Includes 5 Compartment Supply Dispenser, Cylinder Volume 56.1 cf (1590 liters), 380-415/50/3 Hot Water	11.11	4885	90,712.00
SL-350-3	Washer Extractor, Industrial Split Pocket 350 lb, High Speed Softmount, 626RPM/300G, Spring Suspension System, Includes 5 Compartment Supply Dispenser, Cylinder Volume 56.1 cf (1590 liters), 380-415/50/3 Steam Heating	11.11	4885	92,012.00
SL-450-3	Washer Extractor, Industrial Split Pocket 450 lb, High Speed Softmount, Dry Zone Bearing Design, 594RPM/300G, S/S Wash Area, Single Motor Inverter Drive, Spring Suspension System, Include 5 Compartment Supply Dispenser, Cylinder Volume 72 cf (2040 liters), 380-415/50/3 Hot Water	14.24	5792	113,625.00
SL-450-3	Washer Extractor, Industrial Split Pocket 450 lb, High Speed Softmount, Dry Zone Bearing Design, 594RPM/300G, S/S Wash Area, Single Motor Inverter Drive, Spring Suspension System, Include 5 Compartment Supply Dispenser, Cylinder Volume 72 cf (2040 liters), 380-415/50/3 Steam Heating	14.24	5792	115,041.00
SL-485-3	Washer Extractor, Industrial Split Pocket 485 lb, High Speed Softmount, Dry Zone Bearing Design, 594RPM/300G, S/S Wash Area, Single Motor Inverter Drive, Spring Suspension System, Includes 5 Compartment Supply Dispenser, Cylinder Volume 76.94 cf (2182 liters) 380-415/50/3 Hot Water	14.91	6490	132,562.00
SL-485-3	Washer Extractor, Industrial Split Pocket 485 lb, High Speed Softmount, Dry Zone Bearing Design, 594RPM/300G, S/S Wash Area, Single Motor Inverter Drive, Spring Suspension System, Includes 5 Compartment Supply Dispenser, Cylinder Volume 76.94 cf (2182 liters) 380-415/50/3 Steam Heating	14.91	6490	134,123.00

Other Voltages Available By Request. Please Contact Powerline For Pricing.

POWERLINE LAUNDRY



DP-250



PD-50

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
High Performance Dryers				
DP-200S	Dryer, 200 lb, Steam , Advanced Microcomputer, Energy Saving Insulation, Reversing Cylinder Volume 74 cf (2100 liters), 380-415/50/3	7.87	1776	28,984.00
DP-200G	Dryer, 200 lb, Gas , Advanced Microcomputer, Energy Saving Insulation, Reversing Cylinder Volume 74 cf (2100 liters), 380-415/50/3	7.87	1625	27,986.00
DP-200T	Dryer, 200 lb, Thermal Oil , Heated For Central Supply, Advanced Microcomputer, Energy Saving Insulation, Reversing Cylinder Volume 74 cf (2100 liters), 380-415/50/3	7.87	1776	29,833.00
DP-250S	Dryer, 250 lb, Steam , Advanced Microcomputer, Energy Saving Insulation, Reversing Cylinder Volume 92.5 cf (2625 liters), 380-415/50/3	8.27	2025	31,982.00
DP-250G	Dryer, 250 lb, Gas , Advanced Microcomputer, Energy Saving Insulation, Reversing Cylinder Volume 92.5 cf (2625 liters), 380-415/50/3	8.27	1855	30,734.00
DP-250T	Dryer, 250 lb, Thermal Oil , Heated For Central Supply, Advanced Microcomputer, Energy Saving Insulation, Reversing Cylinder Volume 92.5 cf (2625 liters), 380-415/50/3	8.27	2025	32,936.00
On Premise Dryers				
PDE-30	Dryer 35 lb, Electric , Digital Timer Control, Cylinder Volume 12.3 cf (348 liters), 380-415/50/3	1.59	317	4,024.00
PDE-30	Dryer 35 lb, Electric , Digital Timer Control, Cylinder Volume 12.3 cf (348 liters), Reversing Cylinder, 380-415/50/3	1.59	317	4,176.00
PDS-30	Dryer 35 lb, Steam , Digital Timer Control, Cylinder Volume 12.3 cf (348 liters), 240/50/1	1.59	307	4,279.00
PDS-30	Dryer 35 lb, Steam , Digital Timer Control, Cylinder Volume 12.3 cf (348 liters), Reversing Cylinder, 380-415/50/3	1.59	307	4,834.00
PDG-30	Dryer 35 lb, Gas , Digital Timer Control, Cylinder Volume 12.3 cf (348 liters), 240/50/1	1.59	304	3,621.00
PDG-30	Dryer 35 lb, Gas , Digital Timer Control, Cylinder Volume 12.3 cf (348 liters), Reversing Cylinder, 380-415/50/3	1.59	304	4,176.00
PDT-30	Dryer 35 lb, Thermal Oil , Heated For Central Supply, Digital Timer Control, Cylinder Volume 12.3 cf (348 liters), 240/50/1	1.59	307	4,703.00
PDT-30	Dryer 35 lb, Thermal Oil , Heated For Central Supply, Digital Timer Control, Cylinder Volume 12.3 cf (348 liters), Reversing Cylinder, 380-415/50/3	1.59	307	5,258.00
PDE-50	Dryer 50 lb, Electric , Digital Timer Control, Cylinder Volume 18 cf (510 liters), 380-415/50/3	2.08	364	4,490.00
PDE-50	Dryer 50 lb, Electric , Digital Timer Control, Cylinder Volume 18 cf (510 liters), Reversing Cylinder, 380-415/50/3	2.08	364	4,642.00
PDS-50	Dryer 50 lb, Steam , Digital Timer Control, Cylinder Volume 18 cf (510 liters), 240/50/1	2.17	362	4,711.00
PDS-50	Dryer 50 lb, Steam , Digital Timer Control, Cylinder Volume 18 cf (510 liters), Reversing Cylinder, 380-415/50/3	2.17	362	5,266.00
PDG-50	Dryer 50 lb, Gas , Digital Timer Control, Cylinder Volume 18 cf (510 liters), 240/50/1	2.08	358	4,087.00
PDG-50	Dryer 50 lb, Gas , Digital Timer Control, Cylinder Volume 18 cf (510 liters), Reversing Cylinder, 380-415/50/3	2.08	358	4,642.00
PDT-50	Dryer 50 lb, Thermal Oil , Heated For Central Supply, Digital Timer Control, Cylinder Volume 18 cf (510 liters), Reversing Cylinder, 380-415/50/3	2.17	362	5,178.00
PDT-50	Dryer 50 lb, Thermal Oil , Heated For Central Supply, Digital Timer Control, Cylinder Volume 18 cf (510 liters), Reversing Cylinder, 380-415/50/3	2.17	362	5,733.00
PDE-75	Dryer 75 lb, Electric , Digital Timer Control, Cylinder Volume 21.5 cf (609 liters), 380-415/50/3	2.29	393	4,974.00
PDE-75	Dryer 75 lb, Electric , Digital Timer Control, Cylinder Volume 21.5 cf (609 liters), Reversing Cylinder, 380-415/50/3	2.29	393	5,156.00
PDS-75	Dryer 75 lb, Steam , Digital Timer Control, Cylinder Volume 21.5 cf (609 liters), 240/50/1	2.4	390	5,257.00
PDS-75	Dryer 75 lb, Steam , Digital Timer Control, Cylinder Volume 21.5 cf (609 liters), Reversing Cylinder, 380-415/50/3	2.4	390	5,884.00
PDG-75	Dryer 75 lb, Gas , Digital Timer Control, Cylinder Volume 21.5 cf (609 liters), 240/50/1	2.29	390	4,529.00
PDG-75	Dryer 75 lb, Gas , Digital Timer Control, Cylinder Volume 21.5 cf (609 liters), Reversing Cylinder, 380-415/50/3	2.29	390	5,156.00

Other Voltages Available By Request. Please Contact Powerline For Pricing.

POWERLINE LAUNDRY



PD-120




PD-190



PI-225

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
On Premise Dryers				
PDT-75	Dryer 75 lb, Thermal Oil Heated For Central Supply, Digital Timer Control, Cylinder Volume 21.5 cf (609 liters), 240/50/1	2.4	390	5,766.00
PDT-75	Dryer 75 lb, Thermal Oil Heated For Central Supply, Digital Timer Control, Cylinder Volume 21.5 cf (609 liters), Reversing Cylinder, 380-415/50/3	2.4	390	6,393.00
PDE-120	Dryer, 120 lb, Electric , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, Cylinder Volume 38.1 cf (1079 liters), 380-415/50/3	4.16	722	10,712.00
PDS-120	Dryer, 120 lb, Steam , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, Cylinder Volume 38.1 cf (1079 liters), 380-415/50/3	4.16	731	12,578.00
PDG-120	Dryer, 120 lb, Gas , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, Cylinder Volume 38.1 cf (1079 liters), 380-415/50/3	4.16	702	10,403.00
PDT-120	Dryer, 120 lb, Thermal Oil Heated For Central Supply, Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, Cylinder Volume 38.1 cf (1079 liters), 380-415/50/3	4.16	731	13,129.00
PDE-170	Dryer, 170 lb, Electric , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, Cylinder Volume 51.2 cf (1450 liters), 380-415/50/3	6.21	1046	15,257.00
PDS-170	Dryer, 170 lb, Steam , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, Cylinder Volume 51.2 cf (1450 liters), 380-415/50/3	6.21	1072	17,145.00
PDG-170	Dryer, 170 lb, Gas , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, Cylinder Volume 51.2 cf (1450 liters), 380-415/50/3	6.21	1046	14,691.00
PDT-170	Dryer, 170 lb, Thermal Oil Heated For Central Supply, Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, Cylinder Volume 51.2 cf (1450 liters), 380-415/50/3	6.21	1072	17,740.00
PDS-190	Dryer, 190 lb, Steam , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, 380-415/50/3	7.15	1196	21,432.00
PDG-190	Dryer, 190 lb, Gas , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, 380-415/50/3	7.15	1180	18,365.00
PDT-190	Dryer, 190 lb, Thermal Oil Heated For Central Supply, Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, 380-415/50/3	7.15	1196	22,069.00
PDS-200	Dryer, 200 lb, Steam , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, 380-415/50/3	8.63	1259	22,933.00
PDG-200	Dryer, 200 lb, Gas , Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, 380-415/50/3	8.63	1246	19,651.00
PDT-200	Dryer, 200 lb, Thermal Oil Heated For Central Supply, Digital Timer Control, Energy Saving Insulation, Reversing Cylinder, Three Phase Motor, 380-415/50/3	8.63	1259	23,568.00
Industrial Tumble Dryers				
PI-225S	Dryer, 225 lb, Steam , Advanced Microcomputer, Roller Driven Basket, S/S Reversing Basket, Cylinder Volume 90.3 cf (2550 liters), 380-415/50/3	8.66	1800	42,609.00
PI-225G	Dryer, 225 lb, Gas , Advanced Microcomputer, Roller Driven Basket, S/S Reversing Basket, Cylinder Volume 90.3 cf (2550 liters), 380-415/50/3	8.66	1732	41,189.00
PI-225T	Dryer, 225 lb, Thermal Oil Heated For Central Supply, Advanced Microcomputer, Roller Driven Basket, S/S Reversing Basket, Cylinder Volume 90.3 cf (2550 liters), 380-415/50/3	8.66	1800	49,434.00
PI-325S	Dryer, 325 lb, Steam , Advanced Microcomputer, Roller Driven Basket, S/S Reversing Basket, Cylinder Volume 112.2 cf (3170 liters), 380-415/50/3	11.22	3234	52,348.00
PI-325G	Dryer, 325 lb, Gas , Advanced Microcomputer, Roller Driven Basket, S/S Reversing Basket, Cylinder Volume 112.2 cf (3170 liters), 380-415/50/3	11.22	1905	49,853.00
PI-325T	Dryer, 325 lb, Thermal Oil Heated For Central Supply, Advanced Microcomputer, Roller Driven Basket, S/S Reversing Basket, Cylinder Volume 112.2 cf (3170 liters), 380-415/50/3	11.22	3234	60,264.00
PI-475S	Dryer, 475 lb, Steam , Advanced Microcomputer, Roller Driven Basket, S/S Reversing Basket, Cylinder Volume 5000 liters, 380-415/50/3	28.43	4885	92,326.00
PI-475G	Dryer, 475 lb, Gas , Advanced Microcomputer, Roller Driven Basket, S/S Reversing Basket, Cylinder Volume 5000 liters, 380-415/50/3	28.43	3809	106,978.00
PI-475T	Dryer, 475 lb, Thermal Oil Heated For Central Supply, Advanced Microcomputer, Roller Driven Basket, S/S Reversing Basket, Cylinder Volume 5000 liters, 380-415/50/3	28.43	4885	100,457.00


POWERLINE LAUNDRY



PF-14x78



PF-18x120



PF-32x120

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
Heavy Duty Flatwork Ironers				
PF-14x67G	Flatwork Ironer, Gas Heated , 14" x 67" Roll, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	4.1	635	14,898.00
PF-14x67S	Flatwork Ironer, Steam Heating , 14" x 67" Roll, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	4.1	636	14,898.00
PF-14x67E	Flatwork Ironer, Electric Heated , 14" x 67" Roll, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	4.1	585	14,244.00
PF-14x78G	Flatwork Ironer, Gas Heated , 14" x 78" Roll, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	3.12	695	16,034.00
PF-14x78S	Flatwork Ironer, Steam Heating , 14" x 78" Roll, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	3.53	696	16,034.00
PF-14x78E	Flatwork Ironer, Electric Heated , 14" x 78" Roll, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	3.12	697	15,341.00
PF-14x100G	Flatwork Ironer, Gas Heated , 14" x 100" Roll, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	4.21	843	19,583.00
PF-14x100S	Flatwork Ironer, Steam Heating , 14" x 100" Roll, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	4.12	903	19,583.00
PF-14x100E	Flatwork Ironer, Electric Heated , 14" x 100" Roll, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	4.21	960	18,544.00
PF-14x120G	Flatwork Ironer, Gas Heated , 14" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder 380-415v-50hz-3ph	6.91	1574	27,317.00
PF-14x120S	Flatwork Ironer, Steam Heating , 14" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder 380-415v-50hz-3ph	6.91	1643	25,695.00
PF-14x120E	Flatwork Ironer, Electric Heated , 14" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 24KW, 380v/50/3	6.91	1709	30,271.00
PF-18x120G	Flatwork Ironer, Gas Heated , 18" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	7.96	1865	35,514.00
PF-18x120S	Flatwork Ironer, Steam Heating , 18" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	7.96	1917	32,916.00
PF-18x120E	Flatwork Ironer, Electric Heated , 18" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	7.96	1973	38,409.00
PF-24x120G	Flatwork Ironer, Gas Heated , 24" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	10.88	2667	56,071.00
PF-24x120S	Flatwork Ironer, Steam Heating , 24" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	10.88	2720	51,513.00
PF-24x120E	Flatwork Ironer, Electric Heated , 24" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	10.88	2780	60,859.00
PF-32x120G	Flatwork Ironer, Gas Heated , 32" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	16.07	2987	77,209.00
PF-32x120S	Flatwork Ironer, Steam Heating , 32" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	16.07	3020	66,227.00
PF-32x120E	Flatwork Ironer, Electric Heated , 32" x 120" Roll, Front Or Rear Return, With Canopy & Blower, Hard Chrome Cylinder, 380-415v-50hz-3ph	16.07	3089	83,389.00

Other Voltages Available By Request. Please Contact Powerline For Pricing.

POWERLINE LAUNDRY



PFC-32x120-3



PFC-48 x120-3



MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
Deep Chest Industrial Flatwork Ironers				
PFC-32X120-1	Flatwork Ironer, Chest Type, 1 x 32" Diameter Roller, Steam Heating , 118" Rolls, 380-415/50/3	19.01	4460	83,303.00
PFC-32X120-1TO	Flatwork Ironer, Chest Type, 1 x 32" Diameter Roller, Thermal Oil Heated , 118" Rolls, 380-415/50/3	19.55	5352	83,303.00
PFC-32X120-2	Flatwork Ironer, Chest Type, 2 x 32" Diameter Roller, Steam Heating , 118" Rolls, 380-415/50/3	28.14	7691	154,361.00
PFC-32X120-2TO	Flatwork Ironer, Chest Type, 2 x 32" Diameter Roller, Thermal Oil Heated , 118" Rolls, 380-415/50/3	28.67	9093	154,361.00
PFC-32X120-3	Flatwork Ironer, Chest Type, 3 x 32" Diameter Roller, Steam Heating , 118" Rolls, 380-415/50/3	37.38	11110	222,061.00
PFC-32X120-3TO	Flatwork Ironer, Chest Type, 3 x 32" Diameter Roller, Thermal Oil Heated , 118" Rolls, 380-415/50/3	38.13	12834	222,061.00
PFC-48X120-1	Flatwork Ironer, Chest Type, 1 x 48" Diameter Roller, Steam Heating , 118" Rolls, 380-415/50/3	24.41	6400	109,469.00
PFC-48X120-1TO	Flatwork Ironer, Chest Type, 1 x 48" Diameter Roller, Thermal Oil Heated , 118" Rolls, 380-415/50/3	25.28	7967	109,469.00
PFC-48X120-2	Flatwork Ironer, Chest Type, 2 x 48" Diameter Roller, Steam Heating , 118" Rolls, 380-415/50/3	38.37	11653	182,450.00
PFC-48X120-2TO	Flatwork Ironer, Chest Type, 2 x 48" Diameter Roller, Thermal Oil Heated , 118" Rolls, 380-415/50/3	38.45	11356	182,450.00
PFC-48X120-3	Flatwork Ironer, Chest Type, 3 x 48" Diameter Roller, Steam Heating , 118" Rolls, 380-415/50/3	52.32	17435	249,669.00
PFC-48X120-3TO	Flatwork Ironer, Chest Type, 3 x 48" Diameter Roller, Thermal Oil Heated , 118" Rolls, 380-415/50/3	53.19	19169	249,669.00
Professional Folder & Stacker				
Amfold-E121 + Amstack-D	Single lane primary folder making 2 lateral folds upto 3 crossfolds in one lane + automatic stacker and conveyor		2276	79,736.00

Other Voltages Available By Request. Please Contact Powerline For Pricing.

POWERLINE LAUNDRY

MODEL	DESCRIPTION	MACHINE VOLUME (m ³)	SHIPPING WEIGHT (Kg)	LIST PRICE (USD)
Air Operated Dry Cleaning Presses				
DC-42	Drycleaning Utility Press, Air Operated, 42" Buck, Direct Steam Heating	2.97	875	6,918.00
DC-45	Drycleaning Utility Press Utility Press, Air Operated, 45" Buck, Direct Steam Heating	2.78	679	6,918.00
DC-47L	Drycleaning Legger Press, Air Operated, 47" Buck, Direct Steam Heating	2.78	679	7,205.00
DCM-19	Drycleaning Mushroom Press, Air Operated, 19" Buck, Direct Steam Heating	2.97	875	6,342.00
Foot Operated Dry Cleaning Press				
HX-42	Foot Operated Utility Drycleaning Press, Steel Welded Frame, Steel Head, 42" Buck, Direct Steam Heating	2.46	900	6,918.00
Laundry Presses				
CCY	Collar-Cuff-Yoke Press, Air Operated, Direct Steam Heating	2.83	1175	7,205.00
LP-32	Bosom & Body Press, Air Operated, 32" Buck, Direct Steam Heating	3.54	1360	6,342.00
LP-51	Laundry Apparel Press, Air Operated, 51" Buck, Direct Steam Heating	3.34	1400	6,981.00
LP-53	Laundry Legger, Air Operated, 53" Buck, Direct Steam Heating	3.34	1400	7,270.00
LP-54	Laundry Press, Air Operated, 54" x 18", Direct Steam Heating	3.68	1500	7,270.00
LPM-19	Mushroom Topper / Laundry Press, 19" Buck, Direct Steam Heating	2.27	750	6,405.00
Self-Contained Dry Cleaning Presses				
DC-42 SC	Self Contained Drycleaning Utility Press, Electric Heated , Air Operated, 42" Buck Complete With Boiler & Vacuum, 380-415/50/3	2.97	875	9,978.00
DC-45 SC	Self Contained Drycleaning Utility Press, Electric Heated , Air Operated, 45" Buck Complete With Boiler & Vacuum, 380-415/50/3	2.78	679	9,978.00
DC-47L SC	Self Contained Drycleaning Legger Press, Electric Heated , 47" Buck, Complete With Boiler & Vacuum, 380-415/50/3	2.78	679	10,615.00
DCM-19 SC	Self Contained Drycleaning Mushroom Press, 19" Buck, Electric Heated Complete With Boiler & Vacuum, 380-415/50/3	2.97	875	9,978.00
Self-Contained Laundry Presses				
CCY-SC	Self Contained Collar Cuff Yoke Press, Electric Heated Complete With Boiler, 380-415/50/3	2.83	1175	10,288.00
LP-32 SC	Self Contained Bosom & Body Press, 32" Buck, Electric Heated Complete With Boiler, 380-415/50/3	3.54	1360	9,978.00
LP-51 SC	Self Contained Laundry Apparel Press, Electric Heated Complete With Boiler, 51" X 14", 380-415/50/3	3.34	1400	9,978.00
LP-53 SC	Self Contained Laundry Legger Press, Electric Heated Complete With Boiler, 53" X 19" , 380-415/50/3	3.34	1400	10,615.00
LP-54R SC	Self Contained Laundry Press, Electric Heated Complete With Boiler, 54" X 18" Rectangular Buck, 380-415/50/3	3.68	1500	9,978.00
LPM-19 SC	Self Contained Mushroom Topper / Laundry Press, 19" Buck, Electric Heated Complete With Boiler, 380-415/50/3	2.27	750	9,978.00
Specialty Items				
AFA 10	Hot Spotting Board With Vacuum Pedal, Direct Steam Heating	0.62	363	3,053.00
FFCD	Form Finisher, Direct Steam Heating 220/50/1	1.5	145	4,334.00
ALA 10	Ironing Board w/ Lowboy & Steam Iron, 220/50/1	0.85	178	4,334.00
Vertical Vacuum Dryset Units				
PRPE-2	Vertical Air Vacuum System, 3/4hp, S/S Tank, 230/50/1 or 380/50/3	0.12	96	2,124.00
PRPE-3	Vertical Air Vacuum System, 3/4hp, S/S Tank, 230/50/1 or 380/50/3	0.24	140	2,681.00
PRPE-5	Vertical Air Vacuum System, 1hp, S/S Tank, 230/50/1 or 380/50/3	0.29	168	3,250.00
PRPE-8	Vertical Air Vacuum System, 1.5hp, S/S Tank, 230/50/1 or 380/50/3	0.32	181	3,707.00
PRPE-12	Vertical Air Vacuum System, 3hp, S/S Tank, 440/50/3	0.32	240	5,537.00
PRPE-16	Vertical Air Vacuum System, 3hp, S/S Tank, 440/50/3	0.33	240	6,263.00
PRPE-20	Vertical Air Vacuum System, 5 hp, S/S Tank, 440/50/3	0.55	270	6,937.00
PRPDE-30	Vertical Air Vacuum System, 6hp, S/S Tank, 440/50/3	0.97	480	8,734.00
PRPDE-40	Vertical Air Vacuum System, 10hp, S/S Tank, 440/50/3	0.97	510	9,615.00
<i>Please contact factory for 60Hz pricing</i>				



DCM-19



LP-51



DC-45 SC



PRPE-5

Other Voltages Available By Request. Please Contact Powerline For Pricing.



POWERLINE EQUIPMENT COMPANY

Pulaski Street, Norwalk, CT 06851 USA. Tel : 203-847 2357 Fax : 203-847 6480

www.powerlinelaundry.com